

Patent US 210D1
Edwards Ref: RMI-5707 CIP4CON5DIV
(formerly 269/089)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED
CENTRAL FAX CENTER

In re the Application of:

Group Art Unit: 3731

Barbut et al.

Examiner: K. Truong

Serial No.: 10/006,410

Filed: November 30, 2001

For: CANNULA WITH ASSOCIATED
FILTER AND METHODS OF USE
DURING CARDIAC SURGERY

MAY 23 2005

AMENDMENT AND RESPONSE UNDER 37 C.F.R. § 1.116

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

This is in response to the Final Office Action mailed March 8, 2005. Please amend the
subject application as follows.

Amendment to the claims begin on page 2 of this paper.

Remarks begin on page 6 of this paper.

Certificate of Mailing/Transmission (37 C.F.R. § 1.8(a)):

[] Pursuant to 37 C.F.R. § 1.8, I hereby certify that this paper and all enclosures are being deposited with the United States Postal Service as first class mail on the date indicated below in an envelope addressed to the Commissioner for Patents, P.O. Box 1450

Alexandria, VA 22313-1450.

[X] Pursuant to 37 C.F.R. § 1.6(d), I hereby certify that this paper and all enclosures are being sent via facsimile on the date indicated below to the attention of Examiner K. Truong at Facsimile No (703) 872-9306.

Dated: May 23, 2005

Name of Person Certifying:
Printed Name:


Sara Cronberg

IR1:1065041.1
5127_1

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.